

TEN-YEAR GUARANTEE ON OROGLASTM LED

Trinseo guarantees that the OROGLASTM LED and OROGLASTM Blocks LED of any colour and thickness in OROGLASTM catalogue retain virtually all their characteristics after 10 years exposure to weather.

This guarantee covers:

- The rigidity
- The tensile strength
- The colour

RETENTION OF RIGIDITY

The modulus of elasticity is measured in accordance with the ISO 178 standard on 1 to 4 mm parallel-faced samples that have been conditioned at 23°C and at 50% relative humidity.

OROGLASTM LED and OROGLASTM Blocks LED – minimum guaranteed on delivery: 3000 MPa.

OROGLASTM LED and OROGLASTM Blocks LED – minimum guaranteed after a 10-year period: 2800 MPa.

RETENTION OF TENSILE STRENGTH

The tensile strength at break is measured in accordance with the ISO 527 standard on 1 to 4 mm parallel-faced samples at 23°C and at 50% relative humidity.

OROGLASTM LED and OROGLASTM Blocks LED – minimum guaranteed on delivery: 65 MPa.

OROGLASTM LED and OROGLASTM Blocks LED – minimum guaranteed after a 10-year period: 60 MPa.

TEN-YEAR GUARANTEE ON OROGLAS™ LED

COLOUR RETENTION

The colour stability of the OROGLAS™ LED and OROGLAS™ Blocks LED after 10 years of outdoor exposure (depending on the geographical area) is to our knowledge the best that can be attained for a cast PMMA.

During this period of outdoor exposure some degree of colour variation can be expected, however Altuglas International ensures that this colour variation will be so small as to pass undetected by an observer at a distance beyond 3 meters.

GUARANTEE CONDITIONS

The OROGLAS™ LED and OROGLAS™ Blocks LED should be stored, handled, transported, machined and installed in accordance with the manufacturer's instructions. Fastening and sealing sheets together should be carried out in such a manner so as not to have any negative impact on the sheets. The sheets should not be exposed to the harmful effects of chemical agents. Please refer to our Technical Brochure for details of finishing operations and chemical resistance.

GUARANTEE PERIOD

This 10-year guarantee takes effect from the date on which the material is received by the customer.

APPLICATION OF THE GUARANTEE

This guarantee applies if damage occurs within the conditions stated above and if that damage is notified to the stockiest within the guarantee period. This guarantee is limited to the free replacement of the OROGLAS™ LED and OROGLAS™ Blocks LED products only.

GENERAL NOTES

The retention of rigidity and tensile strength of the OROGLAS™ LED and OROGLAS™ Blocks LED are guaranteed in accordance with the paragraphs above. All guaranteed values are measured on machined samples taken from a parallel-faced material. These values cannot be measured precisely on products whose edges are not straight. The guarantee is no longer valid if screen-printing is applied or aggressive chemicals are used for surface treatment.

trinseo.com

The principles of Responsible Care[®] and sustainability influence the production of printed literature for Trinseo S.A. and its affiliated companies.

As a contribution towards the protection of our environments, Trinseo's printed literature is produced in small quantities and on paper containing recovered/post-consumer fiber and using 100 percent soy-based ink whenever possible.

Product Stewardship

Trinseo and its affiliated companies have a fundamental concern for all who make, distribute, and use their products and for the environment in which we live. This concern is the basis for our Product Stewardship philosophy by which we assess the safety, health, and environmental information on our products so that appropriate steps may be taken to protect employee and public health and our environment. The success of our product stewardship program rests with each and every individual involved with Trinseo products – from the initial concept and research, to manufacture, use, sale, disposal, and recycle of each product.

Customer Notice

Customers are responsible for reviewing their manufacturing processes and their applications of Trinseo products from the standpoint of human health and environmental quality to ensure that Trinseo products are not used in ways for which they are not suitable. Trinseo personnel are available to answer questions and to provide reasonable technical support. Trinseo product literature, including safety data sheets, should be consulted prior to the use of Trinseo products. Current safety data sheets are available from Trinseo.

No freedom from infringement of any patent owned by Trinseo or others is to be inferred. Because use conditions and applicable laws may differ from one location to another and may change with time, the customer is responsible for determining whether products and the information in this document are appropriate for the customer's use and for ensuring that the customer's workplace and disposal practices are in compliance with applicable legal requirements. Although the information herein is provided in good faith and was believed to be accurate when prepared, Trinseo assumes no obligation or liability for the information in this document.

NOTICE REGARDING MEDICAL APPLICATION RESTRICTIONS

TRINSEO REQUESTS THAT CUSTOMERS REFER TO TRINSEO'S MEDICAL APPLICATION POLICY [HTTP://WWW.TRINSEO.COM/MEDICAL.HTM](http://www.trinseo.com/medical.htm) BEFORE CONSIDERING THE USE OF TRINSEO PRODUCTS IN MEDICAL APPLICATIONS.

THE RESTRICTIONS AND DISCLAIMERS SET FORTH IN THAT POLICY ARE INCORPORATED BY REFERENCE.

For more information on products, innovations, expertise, and other services available from Trinseo, visit www.trinseo.com or in the U.S. contact us at +1-855-TRINSEO (+1-855-874-6736).

DISCLAIMER

TRINSEO MAKES NO WARRANTIES, EITHER EXPRESS OR IMPLIED, IN THIS DOCUMENT; ALL IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE (INCLUDING MEDICAL APPLICATIONS) ARE EXPRESSLY EXCLUDED. SINCE THE CONDITIONS AND METHODS OF USE OF THE INFORMATION AND PRODUCTS REFERRED TO ARE BEYOND TRINSEO'S KNOWLEDGE AND CONTROL, TRINSEO DISCLAIMS ANY AND ALL LIABILITY FOR LOSSES OR DAMAGES THAT MAY RESULT FROM RELIANCE ON THE INFORMATION OR USE OF THE PRODUCTS DESCRIBED HEREIN. TRINSEO MAKES NO WARRANTIES, EXPRESS OR IMPLIED, THAT THE USE OF ANY TRINSEO PRODUCT WILL BE FREE FROM ANY INFRINGEMENT CLAIMS.

GENERAL NOTICE

Any photographs of end-use applications in this document represent potential end-use applications but do not necessarily represent current commercial applications, nor do they represent an endorsement by Trinseo

of the actual products. Further, these photographs are for illustration purposes only and do not reflect either an endorsement or sponsorship of any other manufacturer for a specific potential end-use product or application, or for Trinseo, or for specific products manufactured by Trinseo. If products are described as "experimental" or "developmental": (1) product specifications may not be fully determined; (2) analysis of hazards and caution in handling and use are required; (3) there is greater potential for Trinseo to change specifications and/or discontinue production, and (4) although Trinseo may from time to time provide samples of such products, Trinseo is not obligated to supply or otherwise commercialize such products for any use or application whatsoever.

For additional information not covered by the content of this document or to ensure you have the latest version of this document available, please refer to our website at www.trinseo.com/contact/.

Copyright© Trinseo (2020) All rights reserved.

[™]Trademark of Trinseo S.A. or its affiliates

[®]Responsible Care is a service mark of the American Chemistry Council